

• ELECTRIC BAKERY AND PASTRY OVENS



43 DX / 43 DX UMI



43 MX / 43 MX UMI



43 SE DIGITAL



36 PX UMI



44 PX UMI



44 EX UMI DIGITAL



64 PX UMI2



104 PX UMI3



64 EX UMI2 DIGITAL



104 EX UMI3 DIGITAL

• FOURS ELECTRIQUES POUR GASTRONOMIE



*12 GX*



*23MX / 23 MX UMI*



*25 EX UMI DIGITAL*



*31 GX UMI*



*41 GX UMI*



*41 EX UMI DIGITAL*



*61 GX UMI2*



*101 GX UMI3*



*61 EX UMI2 DIGITAL*



*101 EX UMI3 DIGITAL*

## ELECTRIC BAKERY AND PASTRY OVENS

Model	Description	External size	Internal size	Rated Voltage	Power
		(WxDxH)	(WxDxH)		
<b>43 DX</b>	4 teglie 433 x 333	595 x 610 x 575	445 x 415 x 355	230 V ~	2,6 kW
<b>43 DX UMI</b>	4 teglie 433 x 333	595 x 610 x 575	445 x 415 x 355	230 V ~	2,6 kW
<b>43 MX</b>	4 teglie 433 x 333	595 x 610 x 575	445 x 415 x 355	230 V ~	3,2 kW
<b>43 MX UMI</b>	4 teglie 433 x 333	595 x 610 x 575	445 x 415 x 355	230 V ~	3,2 kW
<b>43 SE DIGITAL</b>	4 teglie 433 x 333	590 x 690 x 600	445 x 425 x 355	230 V ~	3,3 kW
<b>36 PX UMI</b>	3 teglie 600 x 400	850 x 690 x 425	645 x 410 x 265	230 V ~	3,3 kW
<b>44 PX UMI</b>	4 teglie 600 x 400	860 x 780 x 630	690 x 515 x 360	380-400 V ~ 2N	6,6 kW
<b>44 EX UMI DIGITAL</b>	4 teglie 600 x 400	860 x 780 x 630	690 x 515 x 360	380-400 V ~ 2N	6,6 kW
<b>64 PX UMI2</b>	6 teglie 600 x 400	920 x 760 x 800	645 x 490 x 520	380-400 V ~ 2N	8,0 kW
<b>64 EX UMI2 DIGITAL</b>	6 teglie 600 x 400	920 x 760 x 800	645 x 490 x 520	380-400 V ~ 2N	8,0 kW
<b>104 PX UMI3</b>	10 teglie 600 x 400	920 x 760 x 1120	645 x 490 x 840	380-400 V ~ 3N	12,0 kW
<b>104 EX UMI3 DIGITAL</b>	10 teglie 600 x 400	920 x 760 x 1120	645 x 490 x 840	380-400 V ~ 3N	12,0 kW

## ELECTRIC GASTRONOMY OVENS

Model	Description	External size	Internal size	Rated Voltage	Power
		(WxDxH)	(WxDxH)		
<b>12 GX</b>	4 griglie 1/2 GN mm 265 x 325	555 x 520 x 500	335 x 290 x 345	230 V ~	2,5 kW
<b>23 MX</b>	4 griglie 2/3 GN mm 352 x 325	555 x 600 x 500	335 x 405 x 345	230 V ~	3,2 kW
<b>23 MX UMI</b>	4 griglie 2/3 GN mm 352 x 325	555 x 600 x 500	335 x 405 x 345	230 V ~	3,2 kW
<b>25 EX UMI DIGITAL</b>	5 griglie 2/3 GN mm 352 x 325	610 x 685 x 710	335 x 370 x 425	230 V ~	3,3 kW
<b>31 GX UMI</b>	3 griglie 1/1 GN mm 530 x 325	850 x 690 x 425	645 x 410 x 265	230 V ~	3,3 kW
<b>41 GX UMI</b>	4 griglie 1/1 GN mm 530 x 325	860 x 780 x 630	690 x 515 x 360	380-400 V ~ 2N	6,6 kW
<b>41 EX UMI DIGITAL</b>	4 griglie 1/1 GN mm 530 x 325	860 x 780 x 630	690 x 515 x 360	380-400 V ~ 2N	6,6 kW
<b>61 GX UMI2</b>	6 griglie 1/1 GN mm 530 x 325	920 x 760 x 800	645 x 490 x 520	380-400 V ~ 2N	8,0 kW
<b>61 EX UMI2 DIGITAL</b>	6 griglie 1/1 GN mm 530 x 325	920 x 760 x 800	645 x 490 x 520	380-400 V ~ 2N	8,0 kW
<b>101 GX UMI3</b>	10 griglie 1/1 GN mm 530 x 325	920 x 760 x 1120	645 x 490 x 840	380-400 V ~ 3N	12,0 kW
<b>101 GX UMI3 DIGITAL</b>	10 griglie 1/1 GN mm 530 x 325	920 x 760 x 1120	645 x 490 x 840	380-400 V ~ 3N	12,0 kW